

Stucco Italiano



STUCCO COLOUR HARDENER

DESCRIPTION

A granolithic concrete material that strengthens and colours concrete floors. It is a special blend of cement, pigments and hard wearing aggregates to yield high abrasion resistance and reducing shrinkage.

PURPOSE

To yield a very hard-wearing, attractive colouring system for a concrete surface, steel floated to a smooth, mottled finish.

ADVANTAGES

Provides improved wear and abrasive resistance
Colours concrete to a depth of 2mm.
Colour can't be rubbed off or abraded.
Decorative appearance.

SURFACE PREPARATION

Remove all bleed water. Apply STUCCO COLOUR HARDENER to wet concrete or screed before final set has taken place.

MIXING

Use as supplied (dry powder form), sprinkle spread it onto the concrete surface before final wood- and steel floating takes place.

APPLICATION

Sprinkle spread onto wet concrete or topping prior to floating. Surface to be damp, but no puddles of water around. Surface can be de-watered by vacuum prior to application. Apply by dry shake hand method, sprinkling the powder at a rate of 4 to 7 kg/m² to the damp surface and float to obtain an smooth, coloured surface. Finish to a smooth steel floated finish.

CURING

Allow to cure for 72 hours, keeping the surface damp for this period, especially in warm, dry and windy conditions.

POLYMER MODIFICATION

To obtain an even harder surface, sprinkle STUCCO CONCRETE LIQUID to the already sprinkled surface and float.

SEALER

Exterior floors: One layer of STUCCO COLOUR FASTENER, allow to dry overnight and two layers of STUCCO EXTERIOR SEALER.
Interior floors: One layer of STUCCO COLOUR FASTENER, allow to dry overnight and two layers of STUCCO FLOOR SEALER MAT/ LOW SHEEN/ GLOSS, 18 hours apart.

Stucco Italiano



COVERAGE
Approximately 4 to 7 kg/m ²
PACKAGING
In 25kg bags
STORAGE
Unopened bags can be stored in a cool dry place for 6 months.
WARNING
Do not ingest. Keep away from children and pets. Do not empty into drains.
PRECAUTIONS
Wear rubber gloves. In the event of contact with eyes or skin, rinse thoroughly with cold water. If irritation or discomfort occurs, seek medical advice.
MANUFACTURED BY
Stucco Italiano 25 Industria Rd Brackenfell Tel: 021-982 0006 Fax: 021-982 3796 E-mail: info@stuccoitaliano.co.za www.stuccoitaliano.co.za